

Finnish M61 Gas Mask



Put the original old filter away, buy a new filter

Gas Mask Adapter Allows 60mm Masks To Use NATO 40mm Filters



Sir Safety System S.p.A. Single-member company
Wholly-owned subsidiary of Sir Holding Srl
Via dei Fornaciai, 9 - Santa Maria degli Angeli
06081 Assisi - Perugia - Italy
Tel. +39 075.8043737 (R.A.) - Fax +39 075.8048686

VAT Nr. IT 03359340548
Viale Europa 74
20090 Cusago Milano
Tel. +39 02.90394575 (R.A.)
Fax +39 02.90394441

export@sirsafety.com
www.sirsafety.com

COMPANY WITH
QUALITY SYSTEM
CERTIFIED BY DNV GL
= ISO 9001 =



Name: Special Dräger Filter 1140 - Reactor P3 R D	Code: 45947	Half Masks - Sperian Dräger
--	--------------------	------------------------------------

Description

Special Dräger Filter 1140 – Reaktor P3 R D. Suitable against vapours and inorganic gases (e.g. solvents) with boiling point above 65°; dusts; radioactive iodine, including radioactive iodomethane.

Suitable for the half-face masks 45540 and for the masks art. 45970 and 45980.

The product is designed and manufactured to comply with the essential health and safety requirements of Directive 89/686/EEC, and to conform to the requirements of EN 14387 EN 143.

It is classified as PPE Cat. III.



Category III	Colours	Available Sizes
Quantity/Carton 5	Important Information Before use, make sure that the filter is within its expiry date.	Recommended for Suitable for the half-face mask 45540 and for the full-face masks art. 45970 and 45980.
Dexterity	EC Standards EN 143 CE EN 14387 CE	Storage and cleaning Keep in a cool dry place, far from heat sources. Maximum lifespan: 5 years, if stored properly.